



SAFETY DATA SHEET

Valvoline™ LITHIUM NO 2 GREASE
RED GREASE

Version: 2.0

Revision Date: 01.12.2023

Print Date: 02/06/2025

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Valvoline™ LITHIUM NO 2 GREASE RED GREASE

Product code : 872715

Manufacturer or supplier's details

Company : Valvoline Global Operations

Address : 100 Valvoline Way
Lexington, KY 40509
United States of America (USA)

Telephone : 1-800-TEAMVAL (1-800-832-6825)

Emergency telephone number : +1-800-VALVOLINE (+1-800-825-8654)

E-mail address : SDS@valvolineglobal.com

Recommended use of the chemical and restrictions on use

Recommended use : GREASE

2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



SAFETY DATA SHEET

Valvoline™ LITHIUM NO 2 GREASE
RED GREASE

Version: 2.0

Revision Date: 01.12.2023

Print Date: 02/06/2025

Components

Chemical name	CAS-No.	Concentration (% w/w)
LITHIUM HYDROXIDE	1310-65-2	≥ 1 - $< 2,5$

4. FIRST AID MEASURES

General advice	: Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: No symptoms known or expected.
Notes to physician	: No hazards which require special first aid measures. Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: carbon dioxide and carbon monoxide hydrogen sulfide lithium combustion products No hazardous combustion products are known
Specific extinguishing methods	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.
---	--



SAFETY DATA SHEET

Valvoline™ LITHIUM NO 2 GREASE
RED GREASE

Version: 2.0

Revision Date: 01.12.2023

Print Date: 02/06/2025

-
- | | | |
|---|---|--|
| Environmental precautions | : | If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal. |

7. HANDLING AND STORAGE

- | | | |
|---|---|--|
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Advice on safe handling | : | For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area. |
| Conditions for safe storage | : | Electrical installations / working materials must comply with the technological safety standards. |
| Materials to avoid | : | No materials to be especially mentioned. |
| Further information on storage stability | : | No decomposition if stored and applied as directed. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- | | | |
|--------------------------|---|---|
| Respiratory protection | : | No personal respiratory protective equipment normally required. |
| Eye protection | : | Safety glasses |
| Skin and body protection | : | Protective suit |
| Hygiene measures | : | General industrial hygiene practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|-----------------|---|-------------------|
| Appearance | : | paste |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| pH | : | No data available |



SAFETY DATA SHEET

Valvoline™ LITHIUM NO 2 GREASE
RED GREASE

Version: 2.0

Revision Date: 01.12.2023

Print Date: 02/06/2025

Drop point	:	> 180 °C
Boiling point/boiling range	:	No data available
Flash point	:	> 200 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	0,9
Density	:	< 1 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	150 mPa.s
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous	:	Stable under recommended storage conditions.



SAFETY DATA SHEET

Valvoline™ LITHIUM NO 2 GREASE
RED GREASE

Version: 2.0

Revision Date: 01.12.2023

Print Date: 02/06/2025

reactions	No hazards to be specially mentioned.
Conditions to avoid	: excessive heat Exposure to moisture
Incompatible materials	: aluminum Strong acids strong bases Strong oxidizing agents Zinc
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

LITHIUM HYDROXIDE:

Acute oral toxicity	: LD50 (Mouse): 336 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 3,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Product:

Result	: No skin irritation
Remarks	: Expected

Components:

LITHIUM HYDROXIDE:

Method	: In Vitro Membrane Barrier Test Method for Skin Corrosion - CORROSITEX
Result	: Corrosive to skin

Serious eye damage/eye irritation

Product:

Result	: No eye irritation
Remarks	: Expected



SAFETY DATA SHEET

Valvoline™ LITHIUM NO 2 GREASE
RED GREASE

Version: 2.0

Revision Date: 01.12.2023

Print Date: 02/06/2025

Components:

LITHIUM HYDROXIDE:

Result	:	Corrosive
Remarks	:	Expected

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

LITHIUM HYDROXIDE:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 62,2 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 19,1 - 34,3 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 23,75 mg/l End point: Biomass Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 EC50 (Pseudokirchneriella subcapitata (green algae)): 87,57 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC: 9,9 mg/l Exposure time: 34 d Species: Danio rerio (zebra fish) Test Type: semi-static test Method: OECD Test Guideline 210



SAFETY DATA SHEET

Valvoline™ LITHIUM NO 2 GREASE
RED GREASE

Version: 2.0

Revision Date: 01.12.2023

Print Date: 02/06/2025

II

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION



SAFETY DATA SHEET

Valvoline™ LITHIUM NO 2 GREASE
RED GREASE

Version: 2.0

Revision Date: 01.12.2023

Print Date: 02/06/2025

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

16. OTHER INFORMATION

Revision Date : 01.12.2023

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -



SAFETY DATA SHEET

Valvoline™ LITHIUM NO 2 GREASE
RED GREASE

Version: 2.0

Revision Date: 01.12.2023

Print Date: 02/06/2025

International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ROW / EN

Internal information : 000000264963